

Appendix D: PCOR-Based CDS Bibliography

1. Addressing External Factors

1.1 Marketplace

Health Level 7. HL7 Virtual Medical Record (vMR) Project Wiki. 2012.

Kale MS. "Top 5" Lists Top \$5 Billion. Archives of Internal Medicine. 2011 Nov 14;171(20):1858.

Mandl KD, Kohane IS. Time for a Patient-Driven Health Information Economy? N Engl J Med. 2016 Jan 21;374(3):205–8.

Walker J, Pan E, Johnston D, Adler-Milstein J, Bates DW, Middleton B. The value of health care information exchange and interoperability. Health Aff (Millwood). 2005 Jun;Suppl Web Exclusives:W5-10-W5-18.

1.2 Policy

Beal AC. The Patient-Centered Outcomes Research Institute (PCORI) National Priorities for Research and Initial Research Agenda. JAMA. 2012 Apr 18;307(15):1583.

Borden WB, Chiang Y-P, Kronick R. Bringing Patient-Centered Outcomes Research to Life. Value Health. 2015 Jun;18(4):355–7.

Burwell SM. Setting value-based payment goals—HHS efforts to improve U.S. health care. New England Journal of Medicine. 2015 Mar 5;372:897–9.

Casalino L, Gillies RR, Shortell SM, Schmittziel JA, Bodenheimer T, Robinson JC, et al. External incentives, information technology, and organized processes to improve

Denecke K, Spreckelsen C. Personalized medicine and the need for decision support systems. Stud Health Technol Inform. 2013;186:41–5.

Herr TM, Bielinski SJ, Bottinger E, Brautbar A, Brilliant M, Chute CG, et al. Practical considerations in genomic decision support: The eMERGE experience. J Pathol Inform

Kawamoto K, Del Fiol G, Lobach DF, Jenders RA. Standards for scalable clinical decision support: need, current and emerging standards, gaps, and proposal for progress. Op

Kawamoto K, Del Fiol G, Strasberg HR, Hulse N, Curtis C, Cimino JJ, et al. Multi-national, multi-institutional analysis of clinical decision support data needs to inform

Kawamoto K, Lobach DF. Proposal for fulfilling strategic objectives of the U.S. roadmap for national action on decision support through a service-oriented architecture le

Merino JG, Loder E. PCORI's ambitious efforts to promote transparency and dissemination of research findings. BMJ. 2014;349:g6261.

National Quality Forum (NQF). Driving quality and performance measurement—a foundation for clinical decision support: a consensus report, Washington, DC: NQF; 2010. 2010.

OpenCDS. OpenCDS home page. 2014.

Osheroff JA, Teich JM, Middleton B, Steen EB, Wright A, Detmer DE. A roadmap for national action on clinical decision support. *Journal of the American Medical Informatics*

Scheuermann RH, Milgrom H. Personalized care, comparative effectiveness research and the electronic health record. *Curr Opin Allergy Clin Immunol*. 2010 Jun;10(3):168–70.

Segal C, Holve E. American Recovery and Reinvestment Act-comparative effectiveness research infrastructure investments: emerging data resources, tools and publications. *J*

Selby JV, Lipstein SH. PCORI at 3 Years — Progress, Lessons, and Plans. *New England Journal of Medicine*. 2014;370(7):592–5.

2.0 Prioritizing PCOR Findings for Dissemination via CDS

2.1 PCOR Methods and Research Designs

Ahmed SM, Nelson D, Kissack A, Franco Z, Whittle J, Kotchen T, et al. Towards Building a Bridge between Community Engagement in Research (CEnR) and Comparative Effectiveness Research (CER). *Clin Transl Sci*. 2015 Apr;8(2):160–5.

Darling M, Gonzalez F, Graves K, Sheppard VB, Hurtado-de-Mendoza A, Leventhal K-G, et al. Practical Tips for Establishing Partnerships With Academic Researchers: A Resource Guide for Community-Based Organizations. *Prog Community Health Partnersh*. 2015;9(2):203–12.

Devine EB, Lee C-J, Overby CL, Abernethy N, McCune J, Smith JW, et al. Usability evaluation of pharmacogenomics clinical decision support aids and clinical knowledge resources in a computerized provider order entry system: a mixed methods approach. *Int J Med Inform*. 2014 Jul;83(7):473–83.

Erwin K, Krishnan JA. Using design methods to provide the care that people want and need. *J Comp Eff Res*. 2016 Jan;5(1):13–5.

Kenney JT. Managing the evolving complexity of pharmacologic treatment: comparative effectiveness research, pharmacoeconomic data analyses, and other decision support tools. *Am J Manag Care*. 2012 Nov;18(10 Suppl):S234-239.

Mayo-Wilson E, Hutfless S, Li T, Gresham G, Fusco N, Ehmsen J, et al. Integrating multiple data sources (MUDS) for meta-analysis to improve patient-centered outcomes research: a protocol for a systematic review. *Syst Rev*. 2015;4:143.

McCarthy IM. Putting the Patient in Patient Reported Outcomes: A Robust Methodology for Health Outcomes Assessment. *Health Econ*. 2015 Dec;24(12):1588–603.

Navaneethan SD, Boulware LE, Sedor JR. Patients as stakeholders in setting kidney disease research priorities. *Am J Kidney Dis*. 2015 May;65(5):641–3.

Norman N, Bennett C, Cowart S, Felzien M, Flores M, Flores R, et al. Boot camp translation: a method for building a community of solution. *J Am Board Fam Med*. 2013 Jun;26(3):254–63.

Pearson CR, Duran B, Oetzel J, Margarati M, Villegas M, Lucero J, et al. Research for improved health: variability and impact of structural characteristics in federally funded community engaged research. *Prog Community Health Partnersh*. 2015;9(1):17–29.

Peek CJ, Glasgow RE, Stange KC, Klesges LM, Purcell EP, Kessler RS. The 5 R's: an emerging bold standard for conducting relevant research in a changing world. *Ann Fam Med*. 2014 Oct;12(5):447–55.

Shaya FT, Chirikov VV. Decision support tools to optimize economic outcomes for type 2 diabetes. *Am J Manag Care*. 2011 Nov;17 Suppl 14:S377-383.

Wortley S, Flitcroft K, Howard K. What is the role of community preference information in health technology assessment decision making? A case study of colorectal cancer screening. *Int J Technol Assess Health Care*. 2015 Jan;31(4):241–8.

2.2 Patient-Reported Outcomes

Adogwa O, Elsamadicy AA, Cheng J, Bagley C. Assessing Patient Reported Outcomes Measures via Phone Interviews Versus Patient Self-Survey in the Clinic: Are We Measuring the Same Thing? *World Neurosurg*. 2016 Mar;87:230–4.

Bartlett SJ, Orbai A-M, Duncan T, DeLeon E, Ruffing V, Clegg-Smith K, et al. Reliability and Validity of Selected PROMIS Measures in People with Rheumatoid Arthritis. *PLoS ONE*. 2015;10(9):e0138543.

Basch E, Spertus J, Dudley RA, Wu A, Chuahan C, Cohen P, et al. Methods for Developing Patient-Reported Outcome-Based Performance Measures (PRO-PMs). *Value Health*. 2015 Jun;18(4):493–504.

Hoy MB. Personal Activity Trackers and the Quantified Self. *Med Ref Serv Q*. 2016;35(1):94–100.

Jensen RE, Rothrock NE, DeWitt EM, Spiegel B, Tucker CA, Crane HM, et al. The role of technical advances in the adoption and integration of patient-reported outcomes in clinical care. *Med Care*. 2015 Feb;53(2):153–9.

Judson TJ, Bennett AV, Rogak LJ, Sit L, Barz A, Kris MG, et al. Feasibility of long-term patient self-reporting of toxicities from home via the Internet during routine chemotherapy. *J Clin Oncol*. 2013 Jul 10;31(20):2580–5.

Okelo SO, Eakin MN, Riekert KA, Teodoro AP, Bilderback AL, Thompson DA, et al. Validation of parental reports of asthma trajectory, burden, and risk by using the pediatric asthma control and communication instrument. *J Allergy Clin Immunol Pract*. 2014 Apr;2(2):186–92.

Van Der Wees PJ, Nijhuis-Van Der Sanden MWG, Ayanian JZ, Black N, Westert GP, Schneider EC. Integrating the use of patient-reported outcomes for both clinical practice and performance measurement: views of experts from 3 countries. *Milbank Q*. 2014 Dec;92(4):754–75.

Vodicka E, Kim K, Devine EB, Gnanasakthy A, Scoggins JF, Patrick DL. Inclusion of patient-reported outcome measures in registered clinical trials: Evidence from ClinicalTrials.gov (2007-2013). *Contemp Clin Trials*. 2015 Jul;43:1–9.

2.3 Patient-Centered Measures

Burke JG, Jones J, Yonas M, Guizzetti L, Virata MC, Costlow M, et al. PCOR, CER, and CBPR: alphabet soup or complementary fields of health research? *Clin Transl Sci*. 2013 Dec;6(6):493–6.

Cavanaugh KL. Prioritizing patient-centered care implementation and research for patients with kidney disease. *Semin Dial*. 2015 Apr;28(2):131–40.

Frendl DM, Ware JE. Patient-reported functional health and well-being outcomes with drug therapy: a systematic review of randomized trials using the SF-36 health survey. *Med Care*. 2014 May;52(5):439–45.

Glasgow RE, Riley WT. Pragmatic measures: what they are and why we need them. *Am J Prev Med*. 2013 Aug;45(2):237–43.

Gupta S, Brenner AT, Ratanawongsa N, Inadomi JM. Patient trust in physician influences colorectal cancer screening in low-income patients. *Am J Prev Med*. 2014 Oct;47(4):417–23.

Hyder JA, Wakeam E, Habermann EB, Hess EP, Cima RR, Nguyen LL. Derivation and validation of a simple calculator to predict home discharge after surgery. *J Am Coll Surg*. 2014 Feb;218(2):226–36.

Longo DR, Woolf SH. Rethinking the information priorities of patients. *JAMA*. 2014 May 14;311(18):1857–8.

Meghani SH, Chittams J, Hanlon AL, Curry J. Measuring preferences for analgesic treatment for cancer pain: how do African-Americans and Whites perform on choice-based conjoint (CBC) analysis experiments? *BMC Med Inform Decis Mak*. 2013;13:118.

Saczynski JS, Kiefe CI. Dawning of a new era: understanding the functional outcomes of cardiovascular disease. *Circ Cardiovasc Qual Outcomes*. 2014 Nov;7(6):812–4.

Shamseer L, Moher D, Clarke M, Ghersi D, Liberati A, Petticrew M, et al. Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015: elaboration and explanation. *BMJ*. 2015;349:g7647.

Sheetz KH, Waits SA, Girotti ME, Campbell DA, Englesbe MJ. Patients' perspectives of care and surgical outcomes in Michigan: an analysis using the CAHPS hospital survey. *Ann Surg*. 2014 Jul;260(1):5–9.

Smelt AFH, Louter MA, Kies DA, Blom JW, Terwindt GM, van der Heijden GJMG, et al. What do patients consider to be the most important outcomes for effectiveness studies on migraine treatment? Results of a Delphi study. *PLoS ONE*. 2014;9(6):e98933.

Starks H, Shaw JL, Hiratsuka V, Dillard DA, Robinson R. Engaging stakeholders to develop a depression management decision support tool in a tribal health system. *Qual Life Res*. 2015 May;24(5):1097–105.

Volpp KG, Loewenstein G, Asch DA. Choosing wisely: low-value services, utilization, and patient cost sharing. *JAMA*. 2012 Oct 24;308(16):1635–6.

2.4 PCOR Advocacy

Gould SD, Myers CD, Szymeczko L, Cunningham Collins C, Martinez S, Ledón C, et al. Priorities for Patient-Centered Outcomes Research: The Views of Minority and Underserved Communities. *Health Serv Res*. 2016 May 20;

Li C. Personalized medicine - the promised land: are we there yet? *Clin Genet*. 2011 May;79(5):403-12.

Lindquist LA, Ramirez-Zohfeld V, Sunkara P, Forcucci C, Campbell D, Mitzen P, et al. Advanced life events (ALEs) that impede aging-in-place among seniors. *Arch Gerontol Geriatr*. 2016 Jun;64:90-5.

Parekh A, Schreiber R. How Community-Based Organizations Can Support Value-Driven Health Care [Internet]. *Health Affairs Blog*. 2015 [cited 2016 Jun 16]. Available from: <http://healthaffairs.org/blog/2015/07/10/how-community-based-organizations-can-support-value-driven-health-care/>

3.0 Authoring CDS Interventions

Bailey LC, Mistry KB, Tinoco A, Earls M, Rallins MC, Hanley K, et al. Addressing electronic clinical information in the construction of quality measures. *Acad Pediatr*. 2014 Oct;14(5 Suppl):S82-89.

Bender D, Sartipi K. HL7 FHIR: An Agile and RESTful approach to healthcare information exchange. In *IEEE; 2013* [cited 2016 Aug 9]. p. 326-31. Available from: <http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=6627810>

Boxwala AA, Peleg M, Tu S, Ogunyemi O, Zeng QT, Wang D, et al. GLIF3: a representation format for sharable computer-interpretable clinical practice guidelines. *Journal of Biomedical Informatics*. 2004;37:147-61.

Boxwala AA, Rocha BH, Maviglia S, Kashyap V, Meltzer S, Kim J, et al. A multi-layered framework for disseminating knowledge for computer-based decision support. *Journal of the American Medical Informatics Association*. 2011 Dec;18 Suppl 1:i132-9.

Douali N, De Roo J, Jaulent M-C. Decision support system based semantic web for personalized patient care. *Stud Health Technol Inform*. 2012;180:1203-5.

Eddy DM, Schlessinger L. Methods for Building and Validating Equations for Physiology-Based Mathematical Models: Glucose Metabolism and Type 2 Diabetes in the Archimedes Model. *Med Decis Making*. 2016 Apr;36(3):410-21.

Ferranti JM, Musser RC, Kawamoto K, Hammond WE. The clinical document architecture and the continuity of care record: a critical analysis. *J Am Med Inform Assoc*. 2006 Jun;13(3):245-52.

Freimuth RR, Wix K, Zhu Q, Siska M, Chute CG. Evaluation of RxNorm for Medication Clinical Decision Support. *AMIA Annu Symp Proc*. 2014;2014:554-63.

Goldspiel BR, Flegel WA, DiPatrizio G, Sissung T, Adams SD, Penzak SR, et al. Integrating pharmacogenetic information and clinical decision support into the electronic health record. *J Am Med Inform Assoc*. 2014 Jun;21(3):522-8.

Greenes R, Bloomrosen M, Brown-Connolly NE, Curtis C, Detmer DE, Enberg R, et al. The morningside initiative: collaborative development of a knowledge repository to accelerate adoption of clinical decision support. *Open Med Inform J*. 2010;4:278-90.

Health Level 7. HL7 Decision Support Service standard. 2007.

Hoffman JM, Dunnenberger HM, Kevin Hicks J, Caudle KE, Whirl Carrillo M, Freimuth RR, et al. Developing knowledge resources to support precision medicine: principles from the Clinical

Pharmacogenetics Implementation Consortium (CPIC). *J Am Med Inform Assoc*. 2016 Jul;23(4):796–801.

Hongsermeier T, Kashyap V, Sordo M. Knowledge management infrastructure: evaluation at Partners HealthCare System. In: Greenes RA, editor. *Clinical Decision Support: the Road Ahead*. Boston: Elsevier Academic Press; 2007. p. 447–67.

Hulse NC, Rocha RA, Del Fiol G, Bradshaw RL, Hanna TP, Roemer LK. KAT: a flexible XML-based knowledge authoring environment. *Journal of the American Medical Informatics Association*. 2005;12:418–30.

Ji Y, Skierka JM, Blommel JH, Moore BE, VanCuyk DL, Bruflat JK, et al. Preemptive Pharmacogenomic Testing for Precision Medicine: A Comprehensive Analysis of Five Actionable Pharmacogenomic Genes Using Next-Generation DNA Sequencing and a Customized CYP2D6 Genotyping Cascade. *J Mol Diagn*. 2016 May;18(3):438–45.

Johnson PD, Tu SW, Musen MA, Purves I. A virtual medical record for guideline-based decision support. *Proc AMIA Symp*. 2001;294–8.

Kasthurirathne SN, Mamlin B, Grieve G, Biondich P. Towards Standardized Patient Data Exchange: Integrating a FHIR Based API for the Open Medical Record System. *Stud Health Technol Inform*. 2015;216:932.

Kawamoto K, Del Fiol G, Orton C, Lobach DF. System-agnostic clinical decision support services: benefits and challenges for scalable decision support. *Open Med Inform J*. 2010;4:245–54.

Kawamoto K, Lobach DF, Willard HF, Ginsburg GS. A national clinical decision support infrastructure to enable the widespread and consistent practice of genomic and personalized medicine. *BMC Medical Informatics & Decision Making*. 2009;9:17.

Kawamoto K, Lobach DF. Design, implementation, use, and preliminary evaluation of SEBASTIAN, a standards-based Web service for clinical decision support. *Proceedings/AMIA Annual Symposium*. 2005;380–4.

Kawamoto K. Integration of knowledge resources into applications to enable clinical decision support: architectural considerations. In: Greenes RA, editor. *Clinical Decision Support: the Road Ahead*. Boston: Elsevier Academic Press; 2007. p. 503–38.

Kawamoto K, Hongsermeier T, Wright A, Lewis J, Bell DS, Middleton B. Key principles for a national clinical decision support knowledge sharing framework: synthesis of insights from leading subject matter experts. *J Am Med Inform Assoc*. 2013 Jan 1;20(1):199–207.

Leong T-Y. Toward patient-centered, personalized and personal decision support and knowledge management: a survey. *Yearb Med Inform*. 2012;7:104–12.

Lowe HJ, Ferris TA, Hernandez PM, Weber SC. STRIDE—An integrated standards-based translational research informatics platform. *AMIA Annu Symp Proc*. 2009;2009:391–5.

Mackay EA. Patients, consumers, and caregivers: the original data stewards. *EGEMS (Wash DC)*. 2015;3(1):1173.

Marcos C, González-Ferrer A, Peleg M, Cavero C. Solving the interoperability challenge of a distributed complex patient guidance system: a data integrator based on HL7's Virtual Medical Record standard. *J Am Med Inform Assoc*. 2015 May;22(3):587–99.

Marlin BM, Adams RJ, Sadasivam R, Houston TK. Towards collaborative filtering recommender systems for tailored health communications. *AMIA Annu Symp Proc.* 2013;2013:1600–7.

National Quality Forum (NQF). Quality data model. 2011.

Ohmann C, Kuchinke W. Future developments of medical informatics from the viewpoint of networked clinical research. Interoperability and integration. *Methods Inf Med.* 2009;48(1):45–54.

Overby CL, Tarczy-Hornoch P, Hoath JI, Kalet IJ, Veenstra DL. Feasibility of incorporating genomic knowledge into electronic medical records for pharmacogenomic clinical decision support. *BMC Bioinformatics.* 2010;11 Suppl 9:S10.

Peleg M, Boxwala AA, Bernstam E, Tu S, Greenes RA, Shortliffe EH. Sharable representation of clinical guidelines in GLIF: relationship to the Arden Syntax. *Journal of Biomedical Informatics.* 2001;34:170–81.

Peleg M, Boxwala AA, Ogunyemi O, Zeng Q, Tu S, Lacson R, et al. GLIF3: the evolution of a guideline representation format. *Proceedings/AMIA Annual Symposium.* 2000;645–9.

Peleg M, Tu S, Bury J, Ciccarese P, Fox J, Greenes RA, et al. Comparing computer-interpretable guideline models: a case-study approach. *Journal of the American Medical Informatics Association.* 2003;10:52–68.

Ram P, Berg D, Tu S, Mansfield G, Ye Q, Abarbanel R, et al. Executing clinical practice guidelines using the SAGE execution engine. *Medinfo.* 2004;11:251–5.

Rinott R, Carmeli B, Kent C, Landau D, Maman Y, Rubin Y, et al. Prognostic data-driven clinical decision support - formulation and implications. *Stud Health Technol Inform.* 2011;169:140–4.

Rumsfeld JS, Joynt KE, Maddox TM. Big data analytics to improve cardiovascular care: promise and challenges. *Nat Rev Cardiol.* 2016 Jun;13(6):350–9.

Samwald M, Fehre K, de Bruin J, Adlassnig K-P. The Arden Syntax standard for clinical decision support: experiences and directions. *J Biomed Inform.* 2012 Aug;45(4):711–8.

Samwald M, Miñarro Giménez JA, Boyce RD, Freimuth RR, Adlassnig K-P, Dumontier M. Pharmacogenomic knowledge representation, reasoning and genome-based clinical decision support based on OWL 2 DL ontologies. *BMC Med Inform Decis Mak.* 2015;15:12.

Shiffman RN, Karras BT, Agrawal A, Chen R, Marengo L, Nath S. GEM: a proposal for a more comprehensive guideline document model using XML. *Journal of the American Medical Informatics Association.* 2000;7:488–98.

Sittig DF, Hazlehurst BL, Brown J, Murphy S, Rosenman M, Tarczy-Hornoch P, et al. A survey of informatics platforms that enable distributed comparative effectiveness research using multi-institutional heterogeneous clinical data. *Med Care.* 2012 Jul;50 Suppl:S49–59.

Sordo M, Boxwala AA, Ogunyemi O, Greenes RA. Description and status update on GELLO: a proposed standardized object-oriented expression language for clinical decision support. *Medinfo.* 2004;164–8.

Tu SW, Peleg M, Carini S, Bobak M, Ross J, Rubin D, et al. A practical method for transforming free-text eligibility criteria into computable criteria. *J Biomed Inform.* 2011 Apr;44(2):239–50.

Weber GM, Mandl KD, Kohane IS. Finding the missing link for big biomedical data. *JAMA.* 2014 Jun 25;311(24):2479–80.

Welch BM, Eilbeck K, Del Fiol G, Meyer LJ, Kawamoto K. Technical desiderata for the integration of genomic data with clinical decision support. *J Biomed Inform.* 2014 Oct;51:3–7.

Wright A, Goldberg H, Hongsermeier T, Middleton B. A description and functional taxonomy of rule-based decision support content at a large integrated delivery network. *Journal of the American Medical Informatics Association.* 2007 Aug;14:489–96.

Wright A, Sittig DF, Ash JS, Feblowitz J, Meltzer S, McMullen C, et al. Development and evaluation of a comprehensive clinical decision support taxonomy: comparison of front-end tools in commercial and internally developed electronic health record systems. *Journal of the American Medical Informatics Association.* 2011 May 1;18:232–42.

Wright A, Sittig DF. A four-phase model of the evolution of clinical decision support architectures. *Int J Med Inform.* 2008 Oct;77:641–9.

Wright A, Bates DW, Middleton B, Hongsermeier T, Kashyap V, Thomas SM, et al. Creating and sharing clinical decision support content with Web 2.0: Issues and examples. *J Biomed Inform.* 2009 Apr;42(2):334–46.

Wright A, Sittig DF, Ash JS, Erickson JL, Hickman TT, Paterno M, et al. Lessons learned from implementing service-oriented clinical decision support at four sites: A qualitative study. *Int J Med Inform.* 2015 Nov;84(11):901–11.

Wright A, Sittig DF. SANDS: a service-oriented architecture for clinical decision support in a National Health Information Network. *J Biomed Inform.* 2008 Dec;41(6):962–81.

Wu AW, Kharrazi H, Boulware LE, Snyder CF. Measure once, cut twice—adding patient-reported outcome measures to the electronic health record for comparative effectiveness research. *J Clin Epidemiol.* 2013 Aug;66(8 Suppl):S12–20.

Zhao Y, Long Q. Multiple imputation in the presence of high-dimensional data. *Stat Methods Med Res.* 2013 Nov 25;

4.0 Implementing CDS Interventions

Bates DW, Baysari MT, Dugas M, Haefeli WE, Kushniruk AW, Lehmann CU, et al. Discussion of “Attitude of physicians towards automatic alerting in computerized physician order entry systems.” *Methods Inf Med.* 2013;52(2):109–27.

Bountris P, Haritou M, Pouliakis A, Margari N, Kyrgiou M, Spathis A, et al. An intelligent clinical decision support system for patient-specific predictions to improve cervical intraepithelial neoplasia detection. *Biomed Res Int.* 2014;2014:341483.

Castaneda C, Nalley K, Mannion C, Bhattacharyya P, Blake P, Pecora A, et al. Clinical decision support systems for improving diagnostic accuracy and achieving precision medicine. *J Clin Bioinforma.* 2015;5:4.

Chalmers DJ, Deakynne SJ, Payan ML, Torok MR, Kahn MG, Vemulakonda VM. Feasibility of integrating research data collection into routine clinical practice using the electronic health record. *J Urol.* 2014 Oct;192(4):1215–20.

Coleman JJ, van der Sijs H, Haefeli WE, Slight SP, McDowell SE, Seidling HM, et al. On the alert: future priorities for alerts in clinical decision support for computerized physician order entry identified from a European workshop. *BMC medical informatics and decision making.* 2013;13(1):111.

- Conforti D, Costanzo D, Perticone F, Parati G, Kawecka-Jaszcz K, Marsh A, et al. HEARTFAID: A knowledge based platform of services for supporting medical-clinical management of heart failure within elderly population. *Stud Health Technol Inform*. 2006;121:108–25.
- Dixon BE, Simonaitis L, Goldberg HS, Paterno MD, Schaeffer M, Hongsermeier T, et al. A pilot study of distributed knowledge management and clinical decision support in the cloud. *Artif Intell Med*. 2013 Sep;59(1):45–53.
- Downing GJ, Boyle SN, Brinner KM, Osheroff JA. Information management to enable personalized medicine: stakeholder roles in building clinical decision support. *BMC Med Inform Decis Mak*. 2009;9:44.
- Finkelstein J, Friedman C, Hripcsak G, Cabrera M. Potential utility of precision medicine for older adults with polypharmacy: a case series study. *Pharmgenomics Pers Med*. 2016;9:31–45.
- Gallo D, Anayiotos A, Morbiducci U. The evolution of computational hemodynamics as a clinical tool in decision making, patient specific treatment and clinical management. Part II. *Ann Biomed Eng*. 2015 Jun;43(6):1273–4.
- Goldberg HS, Paterno MD, Rocha BH, Schaeffer M, Wright A, Erickson JL, et al. A highly scalable, interoperable clinical decision support service. *Journal of the American Medical Informatics Association*. 2014 Feb;21:e55–62.
- Hammar T, Lidström B, Petersson G, Gustafson Y, Eiermann B. Potential drug-related problems detected by electronic expert support system: physicians' views on clinical relevance. *International journal of clinical pharmacy*. 2015;37(5):941–8.
- Hsu C-C, Chou C-Y, Chou C-L, Ho C-C, Chen T-J, Chiang S-C, et al. Impact of a warning CPOE system on the inappropriate pill splitting of prescribed medications in outpatients. *PLoS ONE*. 2014;9(12):e114359.
- Ji Y, Skierka JM, Blommel JH, Moore BE, VanCuyk DL, Bruflat JK, et al. Preemptive Pharmacogenomic Testing for Precision Medicine: A Comprehensive Analysis of Five Actionable Pharmacogenomic Genes Using Next-Generation DNA Sequencing and a Customized CYP2D6 Genotyping Cascade. *J Mol Diagn*. 2016 May;18(3):438–45.
- Jiménez Castellanos A, Fernández I, Pérez del Rey D, Viejo de Diego E, Díez FJ, García de Kortázar X, et al. Patient-based Literature Retrieval and Integration: A Use Case for Diabetes and arterial Hypertension. 2011;
- Jimenez-Castellanos A, Fernandez I, Perez-Rey D, Viejo E, Díez FJ, de Kortazar XG, et al. Biomedical Literature Retrieval Based on Patient Information. In: *International Joint Conference on Biomedical Engineering Systems and Technologies*. Springer Berlin Heidelberg; 2011. p. 312–23.
- Johnson MP, Zheng K, Padman R. Modeling the longitudinality of user acceptance of technology with an evidence-adaptive clinical decision support system. *Decision Support Systems*. 2014;57:444–53.
- Karlin-Zysman C, Zeitoun N, Belletti L, McCullagh L, McGinn T. Struggling to bring clinical prediction rules to the point of care: missed opportunities to impact patient care. 2012;
- Lagani V, Chiarugi F, Manousos D, Verma V, Fursse J, Marias K, et al. Realization of a service for the long-term risk assessment of diabetes-related complications. *J Diabetes Complicat*. 2015 Jul;29(5):691–8.
- Meulendijk MC. Optimizing medication reviews through decision support: prescribing a better pill to swallow. *SIKS Dissertation Series*. 2016;2016.

Nelson RE, Stenehjem D, Akerley W. A comparison of individualized treatment guided by VeriStrat with standard of care treatment strategies in patients receiving second-line treatment for advanced non-small cell lung cancer: A cost-utility analysis. *Lung Cancer*. 2013 Dec;82(3):461–8.

Orlando LA, Wu RR, Beadles C, Himmel T, Buchanan AH, Powell KP, et al. Implementing family health history risk stratification in primary care: impact of guideline criteria on populations and resource demand. *Am J Med Genet C Semin Med Genet*. 2014 Mar;166C(1):24–33.

Orlando LA, Wu RR, Myers RA, Buchanan AH, Henrich VC, Hauser ER, et al. Clinical utility of a Web-enabled risk-assessment and clinical decision support program. *Genet Med*. 2016 Mar 3;

Osheroff JA. Planning and Implementing Improved Care Processes | Providers & Professionals | HealthIT.gov [Internet]. 2015 [cited 2016 Oct 7]. Available from: <https://www.healthit.gov/providers-professionals/planning-and-implementing-improved-care-processes>

Osheroff JA. HITEQ Center - Guide to Improving Care Processes and Outcomes in Health Centers [Internet]. 2016 [cited 2016 Oct 7]. Available from: <http://hiteqcenter.org/Resources/HealthITEnabledQI/ImprovingPerformance/FQHCPProcessesandOutcomes/TabId/152/ArtMID/919/ArticleID/108/Guide-to-Improving-Care-Processes-and-Outcomes-in-Health-Centers.aspx>

Osheroff JA, Healthcare Information and Management Systems Society, editors. *Improving outcomes with clinical decision support: an implementer's guide*. 2nd ed. Chicago, IL: HIMSS; 2005. 136 p.

Seidling HM, Phansalkar S, Seger DL, Paterno MD, Shaykevich S, Haefeli WE, et al. Factors influencing alert acceptance: a novel approach for predicting the success of clinical decision support. *J Am Med Inform Assoc*. 2011 Aug;18(4):479–84.

Shiffman RN, Michel G, Essaihi A, Thornquist E. Bridging the guideline implementation gap: a systematic, document-centered approach to guideline implementation. *Journal of the American Medical Informatics Association*. 2004;11:418–26.

Tamblyn R, Ernst P, Winslade N, Huang A, Grad R, Platt RW, et al. Evaluating the impact of an integrated computer-based decision support with person-centered analytics for the management of asthma in primary care: a randomized controlled trial. *J Am Med Inform Assoc*. 2015 Jul;22(4):773–83.

Van de Velde S, Roshanov P, Kortteisto T, Kunnamo I, Aertgeerts B, Vandvik PO, et al. Tailoring implementation strategies for evidence-based recommendations using computerised clinical decision support systems: protocol for the development of the GUIDES tools. *Implementation Science* [Internet]. 2015 Dec [cited 2016 Oct 23];11(1). Available from: <http://www.implementationscience.com/content/11/1/29>

Welch BM, Kawamoto K. Clinical decision support for genetically guided personalized medicine: a systematic review. *J Am Med Inform Assoc*. 2013 Apr;20(2):388–400.

Wright A, Sittig DF, Ash JS, Sharma S, Pang JE, Middleton B. Clinical decision support capabilities of commercially-available clinical information systems. *Journal of the American Medical Informatics Association*. 2009 Oct;16:637–44.

Automated Clinician Prompts and Referrals Facilitate Access to Counseling Services, Leading to Positive Behavior Changes Among Patients | AHRQ Health Care Innovations Exchange [Internet]. [cited 2016 Jun 16]. Available from: <https://innovations.ahrq.gov/profiles/automated-clinician-prompts-and-referrals-facilitate-access-counseling-services-leading>

Clinical-Community Linkages | Agency for Healthcare Research & Quality [Internet]. [cited 2016 Jun 16]. Available from: <http://www.ahrq.gov/professionals/prevention-chronic-care/improve/community/index.html>

OpenClinical White Paper [Internet]. [cited 2016 Aug 9]. Available from: <http://www.openclinical.org/whitepaper.html>

openEHR Specification Project [Internet]. [cited 2016 Aug 9]. Available from: <http://www.openehr.org/releases/1.0.2/roadmap.html>

5.0 Improving Decisions, Outcomes, and Measures

Avorn J. The promise of pharmacoepidemiology in helping clinicians assess drug risk. *Circulation*. 2013 Aug 13;128(7):745–8.

Bantug ET, Coles T, Smith KC, Snyder CF, Rouette J, Brundage MD, et al. Graphical displays of patient-reported outcomes (PRO) for use in clinical practice: What makes a pro picture worth a thousand words? *Patient Educ Couns*. 2016 Apr;99(4):483–90.

Barrett B, Ricco J, Wallace M, Kiefer D, Rakel D. Communicating statin evidence to support shared decision-making. *BMC Fam Pract*. 2016;17:41.

Bergman J, Lorenz KA, Ballon-Landa E, Kwan L, Lerman SE, Saigal CS, et al. A Scalable Web-Based Module for Improving Surgical and Medical Practitioner Knowledge and Attitudes about Palliative and End-of-Life Care. *J Palliat Med*. 2015 May;18(5):415–20.

Berner ES. *Clinical decision support systems: theory and practice*. New York, NY: Springer Berlin Heidelberg; 2016.

Bright TJ, Wong A, Dhurjati R, Bristow E, Bastian L, Coeytaux RR, et al. Effect of clinical decision-support systems: a systematic review. *Annals of Internal Medicine*. 2012 Jul 3;157:29–43.

Cabana MD, Rand CS, Powe NR, Wu AW, Wilson MH, Abboud PA, et al. Why don't physicians follow clinical practice guidelines? A framework for improvement. *JAMA*. 1999;282:1458–65.

Callahan KP, Bridges JFP. Using comparative effectiveness research to inform decision-making: is there a role of economic evaluation? *J Comp Eff Res*. 2012 Jul;1(4):299–301.

Chou AF, Nagykaldi Z, Aspy CB, Mold JW. Promoting patient-centered preventive care using a wellness portal: preliminary findings. *J Prim Care Community Health*. 2010 Jul 1;1(2):88–92.

Fricton J, Rindal DB, Rush W, Flottesmesch T, Vazquez G, Thoele MJ, et al. The effect of electronic health records on the use of clinical care guidelines for patients with medically complex conditions. *J Am Dent Assoc*. 2011 Oct;142(10):1133–42.

Garfinkel D, Ilhan B, Bahat G. Routine deprescribing of chronic medications to combat polypharmacy. *Ther Adv Drug Saf*. 2015 Dec;6(6):212–33.

Garg AX, Adhikari NK, McDonald H, Rosas-Arellano MP, Devereaux PJ, Beyene J, et al. Effects of computerized clinical decision support systems on practitioner performance and patient outcomes: a systematic review. *JAMA*. 2005;293:1223–38.

Goff SL, Mazor KM, Ting HH, Kleppel R, Rothberg MB. How cardiologists present the benefits of percutaneous coronary interventions to patients with stable angina: a qualitative analysis. *JAMA Intern Med*. 2014 Oct;174(10):1614–21.

Jaspers MW, Smeulers M, Vermeulen H, Peute LW. Effects of clinical decision-support systems on practitioner performance and patient outcomes: a synthesis of high-quality systematic review findings. *Journal of the American Medical Informatics Association*. 2011 May 1;18:327–34.

Kawamoto K, Houlihan CA, Balas EA, Lobach DF. Improving clinical practice using clinical decision support systems: a systematic review of trials to identify features critical to success. *BMJ*. 2005;330:765–8.

Löffler C, Drewelow E, Paschka SD, Frankenstein M, Eger J, Jatsch L, et al. Optimizing polypharmacy among elderly hospital patients with chronic diseases—study protocol of the cluster randomized controlled POLITE-RCT trial. *Implement Sci*. 2014;9:151.

McCullagh LJ, Sofianou A, Kannry J, Mann DM, McGinn TG. User centered clinical decision support tools: adoption across clinician training level. *Appl Clin Inform*. 2014;5(4):1015–25.

McDonald KM, Bryce CL, Graber ML. The patient is in: patient involvement strategies for diagnostic error mitigation. *BMJ Qual Saf*. 2013 Oct;22 Suppl 2:ii33–ii39.

McGinn TG, McCullagh L, Kannry J, Knaus M, Sofianou A, Wisnivesky JP, et al. Efficacy of an evidence-based clinical decision support in primary care practices: a randomized clinical trial. *JAMA internal medicine*. 2013;173(17):1584–91.

Nagykaldi Z, Aspy CB, Chou A, Mold JW. Impact of a Wellness Portal on the delivery of patient-centered preventive care. *J Am Board Fam Med*. 2012 Apr;25(2):158–67.

Saverno KR, Rochau U, Stenehjem DD, Morley K, Siebert U, Brixner DI. Application of decision-analytic models in personalized medicine for CML treatment decisions made by payers, providers, and patients. *J Manag Care Pharm*. 2012 Aug;18(6):457–63.

Schuster AL, Aslakson RA, Bridges JF. Creating an advance-care-planning decision aid for high-risk surgery: a qualitative study. *BMC Palliat Care*. 2014;13:32.

Seidling HM, Schmitt SPW, Bruckner T, Kaltschmidt J, Pruszydlo MG, Senger C, et al. Patient-specific electronic decision support reduces prescription of excessive doses. *Qual Saf Health Care*. 2010 Oct;19(5):e15.

Siminoff LA, Sandberg DE. Promoting Shared Decision Making in Disorders of Sex Development (DSD): Decision Aids and Support Tools. *Horm Metab Res*. 2015 May;47(5):335–9.

Stojadinovic A, Bilchik A, Smith D, Eberhardt JS, Ward EB, Nissan A, et al. Clinical decision support and individualized prediction of survival in colon cancer: bayesian belief network model. *Ann Surg Oncol*. 2013 Jan;20(1):161–74.

Trosman JR, Weldon CB, Schink JC, Gradishar WJ, Benson AB. What do providers, payers and patients need from comparative effectiveness research on diagnostics? The case of HER2/Neu testing in breast cancer. *J Comp Eff Res*. 2013 Jul;2(4):461–77.

David Eddy created the Archimedes model to predict and analyze care. *Health Aff (Millwood)*. 2012 Nov;31(11):2451–2.

Automated Clinician Prompts and Referrals Facilitate Access to Counseling Services, Leading to Positive Behavior Changes Among Patients | AHRQ Health Care Innovations Exchange [Internet]. [cited 2016 Jun 16]. Available from: <https://innovations.ahrq.gov/profiles/automated-clinician-prompts-and-referrals-facilitate-access-counseling-services-leading>

6.0 Learning from PCOR-based CDS Experience

Abernethy AP, Etheredge LM, Ganz PA, Wallace P, German RR, Neti C, et al. Rapid-learning system for cancer care. *J Clin Oncol*. 2010 Sep 20;28(27):4268–74.

Etheredge LM. A rapid-learning health system. *Health Aff (Millwood)*. 2007 Apr;26(2):w107-118.

Etheredge LM. Creating a high-performance system for comparative effectiveness research. *Health Aff (Millwood)*. 2010 Oct;29(10):1761–7.

Etheredge LM. Rapid learning: a breakthrough agenda. *Health Aff (Millwood)*. 2014 Jul;33(7):1155–62.

Finlayson SG, Levy M, Reddy S, Rubin DL. Toward rapid learning in cancer treatment selection: An analytical engine for practice-based clinical data. *J Biomed Inform*. 2016 Apr;60:104–13.

Friedman CP, Wong AK, Blumenthal D. Achieving a nationwide learning health system. *Sci Transl Med*. 2010 Nov 10;2(57):57cm29.

Glasgow RE, Rabin BA. Implementation science and comparative effectiveness research: a partnership capable of improving population health. *J Comp Eff Res*. 2014 May;3(3):237–40.

Swan M. Health 2050: The Realization of Personalized Medicine through Crowdsourcing, the Quantified Self, and the Participatory Biocitizen. *J Pers Med*. 2012;2(3):93–118.